

# POWERFUL PERSONAL PROTECTION<sup>™</sup>



**USER MANUAL** 

# PepperBall® MORDBILE Non-lethal pepperBall launcher

WARNINGS & SAFETY	PAGE 3
MOBILE OVERVIEW	PAGE 7
BATTERY INSTALLATION	PAGE 8
LOADING/REPLACING CO <sub>2</sub> Cartridges	PAGE 9
LOADING PROJECTILES	PAGE 10
FIRING THE MOBILE	PAGE 11
LASER ADJUSTMENT	PAGE 12
CLEANING & MAINTENANCE	PAGE 13
TROUBLESHOOTING	PAGE 13
WARRANTY	PAGE 14
RETURN POLICY	PAGE 15

# A WARNING

THIS LAUNCHER IS NOT A TOY AND IS INTENDED FOR SELF-DEFENSE ONLY. THIS PRODUCT LAUNCHES PROJECTILES FROM THE BARREL. MISUSE MAY CAUSE SERIOUS INJURY OR DEATH. IMPROPER USE COULD ALSO RESULT IN CRIMINAL PROSECUTION, FINES, IMPRISONMENT, AS WELL AS CIVIL LIABILITY. WHEN THE LAUNCHER IS NOT IN USE, ALWAYS MAKE SURE THAT THE TRIGGER SAFETY IS IN "SAFE MODE". SEE ADDITIONAL SAFETY GUIDELINES AND USER INSTRUCTIONS IN THIS MANUAL.

# WARNINGS & SAFETY

#### Congratulations on your purchase of the PepperBall® Mobile™ Launcher.

This launcher has been designed and manufactured by United Tactical Systems, LLC (UTS) to be reliable, accurate and durable. When properly handled, the Mobile will give many years of dependable service. Please take the time to read through this manual and become familiar with the Mobile parts, operation, maintenance, and safety precautions before you attempt to load or fire this launcher.

By purchasing this launcher, you assume total responsibility for its safe and lawful use. You must observe the same safety precautions as you would with any firearm to ensure the safety of not only yourself, but everyone around you. The operator should use caution at all times when maintaining and firing this launcher.

#### LIMITATIONS AND USAGE

There are some state or local limitations on purchase, possession, and use of the Mobile. Verify local legal requirements in your state and city to ensure possession and use are proper. The user assumes the liability from unsafe or improper use or any action which constitutes a violation of any applicable law or regulation.

The Mobile may be prohibited from certain premises, including government buildings, airports, courthouses, schools, or other public spaces. Possessing a Mobile in a prohibited area may subject user to criminal liability.

#### WARNING: If misused, this PepperBall launcher is a dangerous weapon.

The user assumes all liability from unsafe handling or any action that constitutes a violation of any applicable laws or regulations. UTS shall not be liable for personal injury, loss of property, or loss of life resulting from the use of this weapon under any circumstances, including any intentional, reckless, negligent or accidental discharges. By using this PepperBall launcher, you release UTS of any and all liability associated with its use.

All information in this manual is subject to change without notice. Please refer to www.pepperball.com for the most up-to-date information about the use of this product. UTS reserves the right to make changes and improvements to products without incurring any obligation to incorporate such improvements in products previously sold.

#### IF YOU DO NOT ACCEPT LIABILITY, DO NOT USE THIS OR ANY PEPPERBALL LAUNCHER.

#### WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

#### SAFETY IS YOUR RESPONSIBILITY!

The following safety information contains important warnings related to the proper use of the launcher, projectiles, and gas canisters. Do not load, discharge or otherwise use this launcher until you have completely read this manual and are familiar with its safety features, mechanical operation, and handling characteristics.

**USE WITH CAUTION:** This product may have the appearance of a deadly weapon, and may increase the risk of injury from third parties. Always be aware of your surroundings when using this product.

# 

#### LAUNCHERS

#### WARNING: CONTENTS ARE DANGEROUS — USE WITH CARE. PURCHASE AND USE OF PEPPERBALL LAUNCHERS AND PROJECTILES ARE LIMITED TO INDIVIDUALS WHO ARE AT LEAST 18 YEARS OLD. KEEP ALL PEPPERBALL PROJECTILES AND LAUNCHERS OUT OF THE SIGHT AND REACH OF CHILDREN.

- DANGER: Never aim or shoot at the head, face, eyes, ears, throat or spine. Impact in these areas could result in unintended severe or permanent injury or death.
- DANGER: ALWAYS KEEP THE LAUNCHER POINTED IN A SAFE DIRECTION. Never look down the barrel of the launcher. Accidental discharge into the eyes may cause permanent injury or death.
- Handle this launcher as if it were loaded at all times.
- Keep your finger off the trigger until ready to fire.
- Keep this launcher on "Safe Mode" until ready to fire. Store in a safe and secure location when not in use.
- Never point or discharge your launcher at anything you do not intend to shoot.
- Never discharge your launcher at the personal property of others.
- Do not disassemble this launcher while it is pressurized or attempt to pressurize while it is disassembled.
- Keep exposed skin away from any escaping gas when in use and when installing or removing air supply.
- Use only PepperBall® authorized projectiles in this launcher. The use of any unauthorized projectiles in this launcher will void all warranties.
- Any modifications to the launcher are prohibited, except with United Tactical manufactured accessories and in accordance with United Tactical instructions. Unauthorized modifications will void all warranties.
- Increasing the velocity of this product increases the risk of death or injury.

#### CARTRIDGES

WARNING! NEVER USE GAS CARTRIDGES OTHER THAN WHAT IS SPECIFIED IN THIS MANUAL.

**CO<sub>2</sub> Cartridges:** WARNING – CONTENTS UNDER PRESSURE Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F. Keep out of the reach of children.

N<sub>2</sub> Cartridges: WARNING! CONTENTS UNDER PRESSURE Do not heat over 125°F or rupture may occur. NEVER POINT TOWARDS FACE OR PERSONS NEARBY. DO NOT INHALE – FIRST AID: IF INHALED, remove to fresh air. If breathing is difficult, give oxygen and call a physician.

**CAUTION!** Pressurized with nitrogen. Intended for use in specified PepperBall launching devices only. Protect from sunlight when ambient temperature exceeds 52°C/ 125°F.

For product information, refer to the Safety Data Sheets (SDS) listed on www.pepperball.com

4 | MOBILE™

# SAFETY

#### PROJECTILES

Read projectile label carefully before opening container or using any of its contents. Opening container indicates user has carefully read label in its entirety and accepts its provisions as the terms and conditions under which this product is furnished.

Handle PepperBall projectiles with care and follow proper cleanup procedure. PepperBall projectiles cause skin irritation, serious eye irritation, and may cause serious respiratory irritation. Exposure may result in copious tears, temporary blindness, burning sensation, and difficulty breathing. The projectile should never be ingested.

- In case of accidental exposure, exit the exposure area. Remove contact lenses and contaminated clothing.
   Flush eyes and affected areas with cool water. Do not rub or use creams, salves, lotions or oils which can trap irritant on the skin. Discard contact lenses and wash exposed clothing before reuse. If exposure or ingestion occurs, get medical advice/attention.
- Keep all PepperBall projectiles out of the reach of children. Store in a secure location with temperatures not to
  exceed 150° F or below -15° F. PepperBall projectiles have a shelf life of 2 years and should be safely disposed of
  after this period.

#### **EXPOSURE:**

**Eye Contact:** Flush eyes and other contaminated areas IMMEDIATELY with large amounts of cool water, and expose to fresh air. Contact lenses should be removed by subject or qualified medical personnel and must be discarded.

**Skin Contact:** Wash skin with soap and water to prevent further exposure. Flush skin with large amounts of cool water to minimize irritant effect. Wash contaminated clothing before reuse. DO NOT rub contaminated areas or apply creams, salves, oils, lotions, or burn cream, which can trap irritant on the skin.

**Inhalation:** If breathing is difficult, administer oxygen. If high concentrations are inhaled, immediately remove subject to fresh air. Keep person calm. If not breathing, begin artificial respiration. If breathing difficulty persists, seek medical attention.

**Ingestion:** Although ingestion is unlikely and not considered a potential route of exposure, individual should be treated as having an acute non-specific airway reaction by an appropriate specialist. Do not induce vomiting.

For more details on these products, refer to the Safety Data Sheets (SDS) listed on www.pepperball.com.





Max. output power: 4.99 milliwatts Wavelength: 400-700 nanometers (visible light) Min. divergence: 1 milliradian Output: Continuous (CW) Laser hazard classification: Class 3R



#### DO NOT STARE INTO BEAM OR VIEW DIRECTLY WITH OPTICAL INSTRUMENTS; Can Cause eye injury up to 52 Ft (16m) Away

Laser hazards

Eye injury from beam

AVOID DIRECT EYE EXPOSURE: Do not look into the direct or reflected beam; can cause eye injury up to 52 ft (16 m) away.

#### Visual interference (glare) with pilots and drivers

Interferes with vision up to 1200 ft (366 m) away. Can be a distraction up to 2.2 miles (3.5 km) away. **NEVER point any laser towards aircraft or vehicles; it is unsafe and illegal.** 

#### Safe use guidance


Class 3R lasers are safe when handled carefully. Do not look into the beam. Avoid accidental exposure to eyes. Do not aim at aircraft. **This is not a toy.** Always supervise children. Additional safety information online

Manufacturer: United Tactical Systems LLC Fort Wayne, Indiana 46809 Made in the China I Pepperball.com

US patents 5.965.839, 6.393.992, 6.543.365, 6.546.874

**EMC** Compliance Complies with 21 CFR 1040.10

#### **OPERATIONAL INSTRUCTIONS** OVERVIEW



#### MOBILE<sup>™</sup> SPECIFICATIONS

<b>SIZE:</b> 9" L x 2-5/16" W x 2	2-9/16" H	<b>WEIGHT:</b> 1.40	LBS	LUMENS:	350	CALIBER: .68
ACTION: SEMI-AUTO	CAPACITY: 6 ROUNDS		POWER: CO <sub>2</sub>		LAUNCH DISTANCE: 40'	

**INCLUDES:** 6 LIVE SD™ PEPPERBALLS • 12 INERT PEPPERBALLS • 3 CO<sub>2</sub> CARTRIDGES • 3 AAA BATTERIES



#### **BATTERY INSTALLATION**

1. PLACE THE MOBILE<sup>™</sup> IN SAFE MODE - Slide the safety back towards the rear of the launcher. (Fig 1)




Fig 1

2. REMOVE THE BATTERY COVER - To install nonrechargeable batteries, place three AAA batteries in the Battery Tray, following the correct placement of + and -. If the unit is new, make sure to pull the white tab to make sure the battery is connected.





Fig 2

3. REPLACE THE BATTERY COVER - Ensure the Battery Door is closed, by pushing the latch forward until it clicks. (Fig 3)

**NOTE:** Launcher fires projectile with  $CO_2$  cartridge installed and does not require batteries to fire projectiles.



#### **INSERTING CO<sub>2</sub> CARTRIDGE**


- 1. Make sure the Mobile<sup>™</sup> has <u>NOT</u> been loaded with projectiles.
- 2. Unscrew Puncture Ram from cartridge chamber located in the front of the Mobile. (Fig 1)

**WARNING:** Do not point launcher towards yourself or others while performing this procedure.

- 3. Insert 8 gram  $CO_2$  cartridge (skinny end first) into the cartridge chamber where you removed the Puncture Ram. (Fig 2)
- Re-install Puncture Ram into cartridge chamber and tighten until Puncture Ram is flush with the front of the unit.

#### PUNCTURE RAM PART NO. B90-0013

 $\rm NOTE:$  PepperBall® recommends the user only install 8 gram CO\_ cartridges that have been ASTM certified to meet size standards.



#### **REPLACING SPENT CO<sub>2</sub> CARTRIDGE**

- 1. To replace the spent CO<sub>2</sub> cartridge, ensure the launcher is empty of projectiles.
- 2. Unscrew the Puncture Ram from the launcher. NOTE: It is normal to hear a hissing sound as excess  $\rm CO_2$  gas is released.
- 3. Point the launcher in a safe direction and at a downward angle.
- 4. Disengage the safety and press the trigger.
- 5. The spent  $CO_2$  cartridge should release and fall free of the launcher. Never hit the launcher against a hard surface to release a spent  $CO_2$  cartridge.
- 6. Engage safety prior to installing a fresh  $\rm CO_2$  cartridge then replace the Puncture Ram on an empty chamber for storage.
- 7. Properly dispose of the spent CO<sub>2</sub> cartridge.



#### LOADING PROJECTILES

 Remove Projectile Plunger from the rear of the Mobile<sup>™</sup> by pushing in and turning approximately 1/8 turn counterclockwise. A tab on the Projectile Plunger will line up with a notch in the body of the Mobile so it can be removed. (Fig 1)

**NOTE:** Remember to always keep Mobile pointed in a safe direction while loading.

 Place three PepperBall® projectiles in the projectile load chamber where you removed the Projectile Plunger. Reinsert the Projectile Plunger and turn it approximately 1/8 turn clockwise until it locks back into place. (Fig 2)

**CAUTION:** Minimal force should be required to re-insert the projectile plunger. If resistance is felt, remove and inspect projectiles for damage.

**NOTE:** Never place more than three PepperBall projectiles in the Mobile.

The projectiles are designed to fracture easily to ensure effectiveness on a variety of surfaces and distances. If the unit is ever dropped on a hard surface, the projectiles should be removed and inspected for damage.




Fig 2

#### FIRING THE MOBILE™

- The Mobile is now ready to fire. Aim the Mobile at the intended target and slide the safety to the forward position. This will activate the laser. Aim the laser on the target and firmly press the red trigger straight down with your thumb until projectile is launched. (Fig 1)
- 2. Replace the CO<sub>2</sub> cartridge after firing five projectiles or any time the Mobile will be stored.

**NOTE:** CO<sub>2</sub> cartridge will be pierced only at first trigger push each time the Mobile is reloaded with a new cartridge. To ensure the Mobile is ready for defensive use, only stage with a fresh, unused CO<sub>2</sub> cartridge.


Firing multiple magazines in rapid succession may cause the launcher to freeze. If this occurs, allow launcher to thaw to room temperature prior to continued use.

#### WARNING:

- Never point laser direct into eyes
- Do not shoot at head, neck or spine
- Do not shoot Mobile at unintended target

#### STORING THE MOBILE

If storing the Mobile for an extended period and it is not intended to be used, replace the Puncture Ram without a  $\mathrm{CO}_2$  cartridge in the chamber and ensure the launcher is free of projectiles. Place the Mobile in its case, restore the safety to the ON position, and store in a safe location.






#### ADJUSTING LASER SIGHT

- The Mobile<sup>™</sup> comes with the laser aligned properly. Only adjust the laser if the projectiles are not hitting at the same point where the laser is projected.
- 2. Secure the Mobile in a horizontal position with the trigger pointing up.
- 3. Once secure, shoot one round from the Mobile at a target from 15 feet away. The projectile should hit within a 1.5" square from where the laser is projecting.(Fig 1)
- 4. If the projectile did not hit within the specified range, use the two adjustment screws at the front of the launcher to adjust the laser until it is within range. The left screw adjusts the elevation. The right screw adjusts windage. (Fig 2)

**NOTE:** Adjustment is delicate and only light pressure should be applied to the adjustment screws. Attempting to force the screws past the designed limits could damage the unit.

**ELEVATION ADJUSTMENT:** Turn clockwise to move up – counter clockwise to move down.

WINDAGE ADJUSTMENT: Turn clockwise to shift left – counter clockwise to shift right.



# **CLEANING & MAINTENANCE**

#### **SAFETY NOTES**

- Never clean a loaded or pressurized launcher.
- Remove all projectiles from the launcher prior to doing any cleaning or maintenance.
- Never use petroleum-based cleaning solvents or lubricants as they can attack the O-ring seals.
- Do not use cleaning solvents that come in aerosol cans.

#### MOBILE<sup>™</sup> CLEANING PROCEDURE

- 1. Ensure the Mobile is in "Safe Mode" and clear the Mobile of all projectiles and CO<sub>2</sub> cartridge before attempting to clean launcher. Point the Mobile barrel in downward direction and gently tap side of launcher to remove large shell fragments and powder from barrel opening.
- Use a damp swab to clean remaining powder out of magazine tube by gently inserting swab in a rotating motion. Rotate the Mobile and repeat this process on the barrel of the launcher. Dispose of contaminated swabs.
- 3. To prevent wet powder from drying inside of launcher, immediately follow normal procedure of loading CO<sub>2</sub> cartridge into Mobile and dry fire the launcher without projectiles until the CO<sub>2</sub> is depleted. Place the launcher in "Safe Mode."
- 4. With the Mobile barrel in safe direction and spray compressed air into magazine slot (front of launcher) to blow excess projectile powder out of barrel. Rotate the Mobile and repeat this process on the magazine tube.
- 5. Wipe entire launcher with damp towel.

#### FAQ

#### I can't remove the CO, cartridge.

• With the CO, cartridge exposed, tilt opening towards down and simultaneously pull the trigger.

#### Projectiles do not come out of the barrel when shooting.

 Put Mobile in "Safe Mode" and remove projectile cap. Hold hand over opening and tilt launcher towards ground and catch projectiles that have been loaded. Place on FIRE and "dry" fire the Mobile twice. Replace projectiles and cap and try again.

#### A projectile broke in the barrel or breech.

• See Barrel Debris Removal section on page 13

#### My Mobile has air leaking out of the barrel when I pull the trigger.

• Contact warranty/tech support at service@pepperball.com or visit pblifelite.com.

**P** WARRANTY & DISCLAIMER

#### WARRANTY, DISCLAIMER OF WARRANTY AND LIMITATION OF REMEDIES

United Tactical Systems, LLC (UTS) warrants, solely to the end user, that the product is delivered free from defects in materials and workmanship for a period of one (1) year from the original date of purchase.

Within the one-year warranty period, UTS' liability and the buyer's sole and exclusive remedy hereunder for all claims shall be limited to a refund or credit to buyer of the purchase price, or replacement of this product, at UTS's option, provided that the non-conforming product is (1) returned during the warranty period and (2) properly packaged and shipped to the UTS designated facility in accordance with the UTS Return Merchandise Authorization (RMA) Policy.

# THE REMEDY SET FORTH ABOVE SHALL BE THE SOLE AND EXCLUSIVE REMEDY FOR BREACH OF THE FOREGOING WARRANTY.

Products which have been improperly handled, stored or shipped, or which have been subject to abuse, misuse, alteration and or neglect are not covered by the warranty. Aftermarket products and the use of non-authorized projectiles are strictly prohibited by UTS and any indication of their installation or use shall void all warranties. Unauthorized modifications voids the warranty.

DISCLAIMER OF WARRANTY: Except for the express limited warranty set forth above. UTS makes no warranties or representations of any kind, whether express or implied, with respect to the product, including any (a) warranty of merchantability; or (b) warranty of fitness for a particular purpose; or (c) warranty against infringement of intellectual property rights of a third-party, whether express or implied by law, course of dealing, course of performance, usage of trade or otherwise. There are no warranties which extend beyond the description of the face hereof. Buyer shall make no warranty or representation regarding the products that is inconsistent with the warranty set forth above. UTS shall not be liable for any injury, loss, or damage, direct or consequential. arising out of the use or the inability to use this product. Warranty does not cover damage caused by abuse, misuse, loss, improper handling, alterations, accident, neglect, or disassembly. Before use, the user shall determine the suitability of the product and be fully trained for its intended use, and user assumes all risks and liability whatsoever in connection therein. In no event shall UTS be liable or obligated to buyer or to any third party in any manner for any (a) special, non-compensatory, consequential, indirect, incidental, statutory, or punitive damages of any kind, including, without limitation, lost profits and/or lost revenue, regardless of the form of action, whether in contract, tort, negligence, strict product liability, or otherwise, even if informed of or aware of the possibility of any such damages in advance, (b) in an amount greater than the amounts paid to UTS by buyer for the products, or (c) damage or injury caused by the products, unless due to the gross negligence or willful misconduct of UTS. The limitations set forth above shall be deemed to apply to the maximum extent permitted by applicable law and notwithstanding the failure of the essential purpose of any limited remedies. The parties acknowledge and agree that they have fully considered the foregoing allocation of risk and find it reasonable, and that the foregoing limitations are an essential basis of the bargain between the parties.

# **RFTIIRN POLICY**

#### CUSTOMER SERVICE. REPAIR POLICY AND RETURN POLICY

For any Customer Service related issues that cannot be answered by the FAQ in this manual, please contact PepperBall at service@pepperball.com or call PepperBall Customer Service at 888-874-3491

#### WARRANTY AND SERVICE INFO

All returns must be authorized by PepperBall. Contact PepperBall at service@pepperball.com or call PepperBall Customer Service at 888-874-3491

#### When returning product:

CAUTION: ALWAYS UNLOAD AND REMOVE AIR SOURCE. AND PROJECTILES BEFORE SHIPPING A LAUNCHER.

CAUTION: DO NOT SHIP BACK THE AIR SOURCE.

- Make sure the RA Number is clearly marked on the outside of the shipping package.
- Include a brief statement regarding the requested repair
- Include your name, return address and a telephone number where you can be reached during normal business hours inside the shipping package.
- All in warranty products will be repaired or exchanged at the discretion of PepperBall and will be shipped back to the Customer via ground shipping at no-charge.

<b>O</b> MOBILE <sup>™</sup> WARRANTY REGISTRATION CARD:							
NAME:							
ADDRESS:							
DATE OF PURCHASE:							
SERIAL NUMBER:							
Please detach from product manual, place in stamped envelope and send to:	PepperBall® Warranty Support 28101 Ballard Dr. Ste. F Lake Forest, IL 60045						
~÷ <del>×</del> ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~							



THIS IS NOT A TOY.

ONLY ALLOW USE BY RESPONSIBLE PERSONS.

READ MANUAL BEFORE USE.

Additional safety information available online.

USE WITH CAUTION: This product may have the appearance of a deadly weapon and may increase the risk of injury from third parties. Always be aware of your surroundings when using this product.

PepperBall® is a division of United Tactical Systems, LLC 28101 Ballard Drive, Suite F Lake Forest, IL 60045 Pepperball.com